

Memorandum

of Transportation

National Highway

National Highway Traffic Safety Administration Vehicle Research and Test Center

P.O. Box 37 East Liberty, Ohio 43319-0337 (937) 666-4511

INFORMATION REPORT

Subject:

CRABI 12-month-old Dummy Evaluation: Sled Series 3

Date:

APR 24 2000

From:

Roger A. Saul, Ph.D.

Chief, Pedestrian and Applied Biomechanics Division

Reply to Attn. of:

To: Docket NHTSA-1999-5156 00-7052-5

Thru: Frank Seales
Chief Counsel

The attached information report describes a series of sled tests conducted with the 12 month **CRABI**dummy. These tests document the response and durability of the dummy in a representative child seat environment.

Attachment



CRABI 12-Month-Old Dummy Evaluation: Sled Series 3

July, 1999

Alena V. Hagedorn Transportation Research Center Inc. Howard B. Pritz, Vehicle Research and Test Center, NHTSA

Purpose

This report documents seven additional sled tests that were done as part of the evaluation of the CRABI 12-month-old Infant Dummy. The purpose of these tests was to look further at the response and durability of the dummy in a representative child seat environment.

The initial evaluation of this CRABI12-month-old Infant Dummy is described in a report titled, "Evaluation of the CRABI12-month-old Infant Dummy and its Comparison with the TNO P-3'4 Dummy," dated February 1999. The report has been docketed as NHTSA-1999-5156-6.

Test Matrix

The matrix for the seven tests is presented in Table 1. Tests 3, 4, 6, and 7 were used for the analysis. Tests 1, 2, and 5 were not used because of inconsistencies in the setup or data collection difficulties.

Table 1. CRABI Sled Test Matrix for Sled Series 3

Test Number	Child Seat	Number of CRABI's per Test	Seat Orientation	Air Bag
1*	Fisher Price Safe	2	Front	N
2*	Embrace: 5 point harness	2	Front	N
3	with tether top	2	Front	N
4		2	Front	N
5*		2	Front	N
6		2	Front	N
7		2	Front	N

^{*}These tests were eliminated from data analysis due to inconsistencies in test setups, etc.

Sled Test Setup

The sled tests were conducted according to the procedures of the previous sled tests (Docket No. NHTSA-1999-5156-6), except that a Fisher Price Safe Embrace child safety seat with a 5-poir t-

harness and top tether was utilized. Two CRABI12-month old dummies were used per test. CRABI Dummy Serial Number #011 was placed on one side of the bench seat (position 1). CRABI Dummy Serial Number #025 was positioned on the other side of the bench seat (position 2).

An FMVSS 2 13 sled buck with the standard FMVSS 2 13 pulse was utilized. However, strict adherence to FMVSS certification test procedures was not observed since these tests were used for evaluative efforts rather than certification purposes. For example, the FMVSS 2 13 certification test requires that the foam be compression-tested prior to each sled test and that a specific type of belt webbing is utilized with belts being changed each time. It also mandates a 12 hour recovery period for the foam before compression tests. However, these requirements were not followed in these tests.

The child seat was configured as a forward facing restraint (eg. straps were in the top slot on the back of the child seat and recline adjuster on the seat was down in the "full upright" position), The 5-point-harness buckle was positioned at armpit level. The 5-point-harness was tensioned to allow one finger of slack under the child seat (5-point-belt) straps. The tension of the seat belt was set between 12-15 lbs. Tether tension was also adjusted to this level.

Each CRABI dummy was instrumented as indicated in Table 2. Shoulder load cells and pub: c load cells were only available for one dummy (#025). All data presented in this report follows the SAE-J211 sign convention for polarity.

Table 2. CRABI Data Channels for Sled Series 3

Channel	CRABI #011	CRABI #025
Head accel. (X, Y, Z ₁ , Z ₂)	X	X
Chest accel. (X, Y, Z)	X	X
Pelvis accel. (X, Y, Z)	X	X
Upper neck loads (FX, FY, FZ, MX, MY, MZ)	X	X
Lower neck loads (FX, FY, FZ, MX, MY, MZ)	X	X
Lower spine loads (FX, FY, FZ, MX, MY, MZ)	X	X
Left and right Shoulder loads (FX and FZ on each side)		X
Pubic loads (FX and FZ)		X
TOTAL CHANNELS	28	34

Test Results

Peak values from Tests 3, 4, 6, and 7 are given in Tables 3 - 5. Plots for channels of interest, including resultant accelerations in the head, chest, and pelvis, as well as shear forces, tensile forces, and Y moments for the neck and lumbar spine, are given in the Appendix.


Table 3. Peak values for CRABI #011 Sled Tests Series 3 Fisher Price Safe Embrace Child Seat: 5 point harness with tether								
	Test #	3	4	6	7			
TR	TRC Test #		TRC950	TRC952	TRC953			
HIC 36msec		368	432	426	402			
HIC 15 msec		226	248	246	248			
Head X	G	-28.7	-26.4	-26.6	-27.7			
Head Z	G	49.8	49.2	46.3	52.3			
Head Res.	G	51.8	52.2	51.3	55.2			
Head Excursion	mm	573.8	572.8	583.9	567.9			
Up Neck Fx	N	-612.1	-577.3	-572.5	-577.0			
Up Neck Fz	N	1397.4	1353.2	1352.1	1444.0			
Up Neck My +	Nm	12.3	9.5	9.4	12.6			
Up Neck My-	Nm	-10.4	-11.5	-10.8	-11.9			
Low Neck Fx	N	-963.8	-1035.5	-951.2	-1001.3			
Low Neck Fz	N	765.4	738.7	594.9	784.7			
Low Neck My	Nm	64.3	62.6	59.4	57.8			
Neck MYoc+	Nm	15.1	11.8	11.9	14.9			
Neck MYoc-	Nm	-8.2	-8.8	-8.5	-9.1			
Chest X.	G	-46.2	-46.9	-50.1	-50.2			
Chest Z	G	-29.0	-24.8	-23.3	-21.1			
Chest Res	G	53.5	50.1	52.2	52.0			
Chest 3 msec Clip		50.8	49.0	51.5	51.0			
Pelvis X.	G	-58.3	-52.4	-47.9	-49.0			
Pelvis Z	G	-46.2	-48.8	-49.4	-45.0			
Pelvis Res.	G	67.5	65.9	67.3	64.2			
Low Spine Fx	N	615.3	821.7	823.4	642.0			
Low Spine Fz	N	-1646.4	-1478.7	-1538.9	-1503.6			
Low Spine My(+)	Nm	-17.7	-15.9	-15.5	-16.9			
Pubic Fx	N	NA	NA	NA	NA			
Pubic Fz	N	NA	NA	NA	NA			

Table 4. Peak values for CRABI #025 Sled Tests Series 3 Fisher Price Safe Embrace Child Seat: 5 point harness with tether


			ı	1	1	
	Test #	3	4	6	7	
	TRC Test #	TRC949	TRC950	TRC952	TRC953	
HIC 36msec		362	364	399	399	
HIC 15 msec		195	193	227	205	
Head X	G	-36.2	-37.5	-30.1	-32.7	
Head Z	G	42.3	42.3	49.4	44.2	
Head Res.	G	48.2	49.2	54.7	51.5	
Head Excursion	mm	549.9	550.2	576.1	575.8	
Up Neck Fx	N	-691.4	-667.2	-655.6	-646.1	
Up Neck Fz	N	1373.6	1383.6	1553.6	1426.7	
Up Neck My +	Nm	14.7	15.1	13.1	12.1	
Up Neck My-	Nm	-10.9	-10.5	-15.1	-13.5	
Low Neck Fx	N	-880.4	-979.3	-1079.7	-994.6	
Low Neck Fz	N	572.7	565.6	602.7	585.4	
Low Neck My	Nm	76.7	76.6	71.6	69.3	
Neck MYoc+	Nm	18.3	18.9	16.3	15.3	
Neck MYoc-	Nm	-74	-7.6	-11.7	-10.3	
Chest X.	G	-49.0	-45.7	-53.8	-54.3	
Chest Z	G	-28.6	-24.6	-22.5	-23.0	
Chest Res	G	56.6	50.7	56.2	57.9	
Chest 3 msec Clip		53.1	49.5	53.1	53.2	
Pelvis X.	G	-55.0	-59.7	-60.1	-54.7	
Pelvis Z	G	-48.3	-43.1	-43.1	-47.2	
Pelvis Res.	G	64.5	71.0	71.4	71.6	
Low Spine Fx	N	445.8	468.5	612.1	606.2	
Low Spine Fz	N_	-1521.8	1696	1675.9	1566.7	
Low Spine My	Nm	• ,	20.2	16.9	- .	
Pubic Fx	N	-381.5	-524.2		<u>-</u> .	
Pubic Fz	N	-970.9	-1084.8	-990.9	-1050.6	

Table 5. Peak values for CRABI #011 and #025 Sled Tests Series 3 Fisher Price Safe Embrace Child Seat: 5 point harness with tether

Test # TRC Test # Dummy Number			3		4 1 6		5 1 7		1
		TRC949		TRC950		TRC952		TRC953	
		011	025	011	025	011	025	011	025
HIC 36msec		368	362	432	364	426	399	402	399
HIC 15 msec		226	195	248	193	246	227	248	205
Head X	_G	28.7	36.2	26.4	37.5	26.6	30.I	27.7	32.7
Head Z	_ G	49.8	42.3	49.2	42.3	46.3	49.4	52.3	44.2
Head Res.	_G	51.8	48 2	52 2	49.2	51.3	54.7	55.2	51.5
Head Excursion	mm	573.8	549.9	572.8	550.2	583.9	576.1	567.9	575.8
Up Neck Fx	N	-612.1	691.4	577.3	667.2	572.5	655.6	577.0	646.1
Up Neck Fz	N	1397.4	1373.6	1353.2	1383.6	1352.1	1553.6	1444.0	1426.7
Up Neck My +	Nm	12.3	14.7	9.5	15.1	9.4	13.1	12.6	12.1
Up Neck Mv-		10.4	10.9	11.5	10.5	10.8	15.1	11.9	13.5
Low Neck Fx	N	963.8	880.4	1035.5	979.3	951.2	1079.7	1001.3	994.6
Low Neck Fz	N	765.4	572.7	738.7	565.6	594.9	602 7	784.7	585.4
Low Neck My	Nm	64.3	76.7	62.6	76.6	59.4	71.6	57.8	69.3
Neck MYoc+	Nm	15.1	18.3	11.8	18.9	11.9	16.3	14.9	15.3
Neck MYoc-	Nm	82	7.4	8.8	7.6	8.5	11.7	9.1	10.3
Chest X.	G	46.2	49.0	46.9	45.7	50.1	53.8	50.2	54.3
Chest Z	G	29.0	28.6	24.8	24.6	23.3	22.5	21.1	23.0
Chest Res	G	53.5	56.6	50.1	50.7	52 2	56 2	52.0	57.9
Chest 3 msec	(60	50.8	53.1	49.0	49.5	51.5	53.1	51.0	53 2
Pelvis X.	G	58.3	55.0	-52 4	59.7	47.9	60.1	49.0	54.7
Pelvis Z	G	46.2	48.3	48.8	43.1	49.4	43.1	45.0	47.2
Pelvis Re s.	G	67.5	64.5	65.9	71.0	67.3	71.4	64.2	71.6
Low Spine Fx	N	615.3	445.8	821.7	468.5	823.4	612.1	642.0	606.2
Low Snine Fa	N!	1646 4	15210	117Q7	1606	1538 0	1675 0	1503.6	15667
Low Spine My	Nm	-17.7	-18.7	-15.9	-20.2	-15.5	-16.9	-16.9	-16.5




Acceleration (G)





hedrg1 (g)


CRABI- Upper Neck Shear (X) Force

























Acceleration (G)





(N)

Force

(V) 1 1xqs[







(a) noiteneleast